



PENAM LABORATORIES LTD.

Vill. Joniawas, Dharuhera, Distt. Rewari, (Haryana)

Tel. : (+1274) 267286, 267287 Fax : (+1274) 267285

E-mail : penam@vsnl.net

CERTIFICATE OF ANALYSIS

Product	: Diosmin BP	Date	: 17.05.2013
Lot No.	: P/DSM-010/13	Date of Mfg.	: 03/2013
AR No.	: FP01830313	Date of Exp.	: 02/2016
Quantity	: 250kg		

TEST	RESULT	SPECIFICATION
Appearance	: Light yellow powder	: Grayish yellow or light yellow powder
Solubility	: Complies	: To comply with BP
Identification	: Complies	: To comply with BP
Iodine	: Complies	: Not more than 0.1%
Related Substances		
Impurity B	: 1.69%	: Not more than 5.0%
Impurity C, E & F	: Complies	: Each impurity not more than 3.0%
Any other Impurity	: Complies	: Not more than 1.0%
Total Impurity	: 3.36%	: Not more than 10.0%
Heavy metals	: Complies	: Not more than 20 ppm
Sulphated ash	: 0.07%	: Not more than 0.2%
Water	: 4.71%w/w	: Not more than 6.0% w/w
Assay (OAB)	: 96.13%w/w	: 90.0 to 102.0%w/w

REMARKS : The product complies with BP


ANALYSED BY


CHECKED BY


APPROVED BY